Renal (Haemodialysis) Unit Patient Information



Information

If you need this information in large print, easy read, on audiotape or in another language please call 0800 7838058 or email pals@dchft.nhs.uk

If you wish to obtain a list of the sources used to develop this information leaflet please call 0800 7838058 or e-mail patient.info@dchft.nhs.uk

Author: Beverly Butas Role: Senior Dialysis Nurse Publication Date: 08/15 Review Date: 07/18

Octenisan_®

Infection Care Pathway

MRSA Treatment Guidance

(inc. Mupirocin 2% Nasal Ointment)


PATIENT LABEL
Surname
Forename
DOB
Patient N°

To be completed by patient daily during treatment:

Body	Day 1	Day 2	Day 3	Day 4	Day 5
san® B wash	Date:	Date:	Date:	Date:	Date:
Octenisan® wash	Initials:	Initials:	Initials:	Initials:	Initials:

Octenisan® 5 day antimicrobial wash protocol:

- Apply Octenisan® undiluted onto a disposable clean, damp washcloth which you are the sole user
- Apply evenly all over body and hair to be cleansed and wash off
- For showering or hair washing, simply use Octenisan® in the same manner as other hair and skin washing preparations
- Always observe the recommended contact time of 1 minute
- Please see the pictured diagram over page for extra guidance



To be completed by patient daily during treatment:

		Day 1	Day 2	Day 3	Day 4	Day 5
ent		Date:	Date:	Date:	Date:	Date:
l Ointment	Morning	Initials:	Initials:	Initials:	Initials:	Initials:
Nasal	Afternoon	Initials:	Initials:	Initials:	Initials:	Initials:
	Evening	Initials:	Initials:	Initials:	Initials:	Initials:

Mupirocin 2% Nasal Ointment (Bactroban®)

Apply to the inside of both nostrils 3 times a day for 5 days.

Please read the Patient Information Leaflet included in the box with the Mupirocin nasal ointment before you begin to use it.

The nasal ointment is to be applied to each nostril as described in the Patient Information Leaflet.

Following application of the nasal ointment to the inside of the nostrils it is important that the outside of the nose is massaged well. This will ensure the treatment is effective. You may be able to taste the nasal ointment.

If being treated at home, please bring any remaining Octenisan® bodywash or Mupirocin 2% nasal ointment into hospital with you.

Further Information

If you require further information, please contact:

Haemodialysis Team on **01305 255345** Infection Control Team on **01305 253279**